https://doi.org/10.36377/ET-0130





Chronopathophysiological justification of prevention and treatment of dental diseases in children

Evgeniy V. Neudakhin¹, Elena E. Yatskevich¹, Pavel A. Voronin², Vadim A. Voronin², Andrey G. Prityko^{1, 2}, Olga A. Koparzova², Darya N. Vladimirova², Tatyana N. Sagitdinova², Anna V. Tyushevskaya², Irina A. Nikolskaya²

Abstract

INTRODUCTION. This article is devoted to the chronophysiological aspects of the prevention and treatment of dental diseases in children. The influence of biorhythms on the development, course, and prevention of dental pathologies in the pediatric population is considered a promising direction in modern dentistry. In both domestic and international literature, this issue is insufficiently addressed, which underscores the relevance of further research in this area.

AIM. To deepen understanding of chronodiagnosis and chronotherapy of dental diseases in children, aiming to optimize the treatment process through early diagnosis and the timely implementation of personalized preventive and therapeutic interventions.

MATERIALS AND METHODS. Within the framework of this article, an analytical review of domestic and international publications addressing biorhythmological and chronophysiological aspects of dental diseases was conducted. The analysis included an evaluation of data on the influence of circadian rhythms on the condition of dental hard tissues, periodontium, and oral mucosa, as well as the particularities of their consideration in the implementation of preventive and therapeutic interventions in children.

RESULTS. The conducted analysis demonstrated that the influence of biorhythms on the dental health of children is systemic in nature. Taking chronophysiological patterns into account enables increased effectiveness of preventive measures, improved treatment outcomes, and a reduction in the incidence of complications. CONCLUSIONS. The chronophysiological approach in pediatric dentistry represents a promising direction capable of significantly enhancing the quality of dental care. Deepening knowledge of biorhythms and their application in practice will contribute to the development of personalized dentistry and stimulate professional interest in further investigation of the biorhythmological foundations of diagnosis and therapy.

Keywords: children, biorhythms, chronotherapy, dental diseases.

Article info: received - 30.08.2025; revised - 01.10.2025; accepted - 07.10.2025

Conflict of interest: The authors report no conflict of interest.

Acknowledgements: There are no funding and individual acknowledgments to declare.

For citation: Neudakhin E.V., Yatskevich E.E., Voronin P.A., Voronin V.A., Prityko A.G., Koparzova O.A., Vladimirova D.N., Sagitdinova T.N., Tyushevskaya A.V., Nikolskaya I.A. Chronopathophysiological justification of prevention and treatment of dental diseases in children. *Endodontics Today.* 2025;23(4):560–568. https://doi.org/10.36377/ET-0130

Хронопатофизиологическое обоснование профилактики и лечения стоматологических заболеваний у детей

Е.В. Неудахин¹ (р., Е.Е. Яцкевич¹, П.А. Воронин² (р. Д. В.А. Воронин² (р., А.Г. Притыко¹,² (р., О.А. Копарзова² (р., Д.Н. Владимирова² (р., Т.Н. Сагитдинова² (р., А.В. Тюшевская² (р., И.А. Никольская² (р., И.А. Никольская² (р., И.А.)

г. Москва, Российская Федерация

□ pavelvoronin2008@yandex.ru

Резюме

ВВЕДЕНИЕ. Статья посвящена хронофизиологическим аспектам профилактики и лечения стоматологических заболеваний у детей. Вопросы влияния биоритмов на развитие, течение и профилактику стоматологических патологий у детского контингента рассматриваются как перспективное направле-

© Neudakhin E.V., Yatskevich E.E., Voronin P.A., Voronin V.A., Prityko A.G., Koparzova O.A., Vladimirova D.N., Sagitdinova T.N., Tyushevskaya A.V., Nikolskaya I.A., 2025



¹ Research Practical Center for Children's Specialized Medical Care, Moscow, Russian Federation

² Pirogov Russian National Research Medical University, Moscow, Russian Federation

☐ pavelvoronin2008@yandex.ru

¹ Научно-практический центр специализированной медицинской помощи детям имени В.Ф. Войно-Ясенецкого, г. Москва, Российская Федерация

² Российский национальный исследовательский медицинский университет имени Н.И. Пирогова,

ние современной стоматологии. В литературе, как отечественной, так и зарубежной, данная проблема освещена крайне слабо, что обусловливает актуальность дальнейших исследований в этой области. ЦЕЛЬ. Углубить представления о хронодиагностике и хронотерапии стоматологических заболеваний у детей для оптимизации лечебного процесса за счет ранней диагностики и своевременного проведения персонализированных профилактических и лечебных мероприятий.

МАТЕРИАЛЫ И МЕТОДЫ. В рамках статьи проведен аналитический обзор отечественных и зарубежных публикаций, посвященных биоритмологическим и хронофизиологическим аспектам стоматологических заболеваний. Анализ включал оценку данных о влиянии циркадных ритмов на состояние твердых тканей зубов, пародонта и слизистой оболочки полости рта, а также особенностей их учета при проведении профилактических и лечебных мероприятий у детей.

РЕЗУЛЬТАТЫ. Проведенный анализ показал, что влияние биоритмов на состояние стоматологического здоровья детей имеет системный характер. Учет хронофизиологических закономерностей позволяет повысить эффективность профилактических мероприятий, улучшить результаты лечения и снизить частоту осложнений.

ВЫВОДЫ. Хронофизиологический подход в детской стоматологии представляет собой перспективное направление, способное существенно повысить качество оказания стоматологической помощи. Углубление знаний о биоритмах и их применении в практике будет способствовать развитию персонализированной стоматологии и стимулировать интерес специалистов к дальнейшему изучению биоритмологических основ диагностики и терапии.

Ключевые слова: дети, биоритмы, хронотерапия, стоматологические заболевания.

Информация о статье: поступила – 30.08.2025; исправлена – 01.10.2025; принята – 07.10.2025

Конфликт интересов: авторы сообщают об отсутствии конфликта интересов.

Благодарности: финансирование и индивидуальные благодарности для декларирования отсутствуют.

Для цитирования: Неудахин Е.В., Яцкевич Е.Е., Воронин П.А., Воронин В.А., Притыко А.Г., Копарзова О.А., Владимирова Д.Н., Сагитдинова Т.Н., Тюшевская А.В., Никольская И.А. Хронопатофизиологическое обоснование профилактики и лечения стоматологических заболеваний у детей. *Эндодонтия Today.* 2025;23(4):560–568. https://doi.org/10.36377/ET-0130

Introduction

The widespread prevalence of dental diseases in childhood has a significant impact on the physical and psycho-emotional development of children and on their quality of life [1]. The prevalence of dental caries varies depending on the country, social conditions, and age of children, ranging from 7% to 94% [2], while the prevalence of non-carious hard tissue diseases ranges from 1.5% to 72% [3]. In Russia, the prevalence of dental caries among 12-year-old children exceeds 83%, and the prevalence of periodontal disease is 22% [4].

RESUTLS

According to epidemiological surveys of early and school-age children in Moscow, 28.2% of boys and 37.2% of girls require oral cavity treatment. The need for dental care increases with age [5; 6]. Dentists from Kazan Federal University [7] note that in preschool-aged children, the prevalence of dental caries and its complications reaches 70%, while the prevalence of craniofacial developmental anomalies and diseases of the oral mucosa and periodontium reaches 80%. Many dental diseases arise before the age of one. This is more frequently observed in restored families, which should be considered when planning preventive measures and monitoring children [7].

According to L.V. Sukhacheva and colleagues [8], dental caries in permanent teeth is diagnosed in 78% of 12-year-old children and in 88% of 15-year-olds. The prevalence of inflammatory periodontal diseases in 15-year-old children ranges from 40% to 50% [9]. Thus, the most common dental diseases in childhood are dental caries and inflammatory periodontal diseases,

which, in turn, negatively affect the formation of dental health in adulthood¹ [10; 11].

It should be noted that there is a close pathogenetic relationship between dental diseases and chronic diseases of internal organs, particularly in systems such as the digestive, respiratory, and cardiovascular systems. This interrelation indicates that oral health care is integral to maintaining overall human health. Therefore, increased attention must be paid to the prevention of dental diseases, utilizing highly effective technological approaches [8; 12].

The core principles of specialized preventive measures are presented in detail in the Federal State Program for the Primary Prevention of Dental Diseases among the population of Russia, including children of various age groups, beginning from the neonatal period. The available medical literature includes numerous works – monographs, articles, methodological guidelines, and textbooks – that address this issue, expanding knowledge on the factors contributing to the development of dental diseases in children, as well as on methods for their prevention and treatment. Unfortunately, parents and their children have limited awareness of this problem. Physicians not specializing in dentistry also pay insufficient attention to it, despite its relevance to their professional practice.

¹ Project of the Federal State Program for Primary Prevention of Dental Diseases among the Population of Russia (Program approved by the decision of the Council of the Russian Dental Association on April 26, 2011). Available at: https://estomatology.ru/star/work/2011/sovet_april/03_profil.htm (accessed: 27.12.2024).



Currently, the central ideology in medicine is an individualized (personalized) approach to the patient and their health issues. The primary goal of a personalized approach is disease prevention rather than treatment. To prevent dental diseases in children, it is necessary to determine the genetic predisposition to their development, diagnose preclinical metabolic disorders, and identify pathogenetically significant risk factors [13–18].

Life in living organisms is impossible without interaction with the environment. Under the influence of environmental factors, evolutionarily determined endogenous biorhythms have developed in organisms, associated with specific molecular-genetic mechanisms. Biological rhythmicity ensures the organism's adaptation to the external environment. Biorhythms are based on the alternating interaction of qualitatively distinct states: catabolism and anabolism, dissimilation and assimilation, excitation and inhibition. Through biorhythms, the development of the organism and the synchronization of its physiological functions with diverse changes in the external and internal environment are achieved via the rhythmic alternation of these processes. Determining biorhythms allows for the assessment of the functional state of the organism and its adaptive capabilities [19].

The alternation of light and dark periods during the day is an important environmental factor affecting 24-hour circadian rhythms. This stimulus, known as a zeitgeber (a technical term from German, meaning "timer"), is perceived by the retinal photoreceptors, which activate a complex photoperiodic system associated with all organs and systems of the body. The central elements of the photoperiodic system include the suprachiasmatic nucleus (SCN) of the hypothalamus, the pineal gland, and several other brain structures. Within these structural regions are the central circadian clocks, which generate neuronal and hormonal signals for the peripheral clocks.

Peripheral molecular clocks regulate the circadian rhythm, which is based on autonomous transcriptional and translational feedback loops among key components of the circadian clocks. These components include the heterodimeric protein complex CLOCK, encompassing the circadian locomotor cycle kaput, and BMAL1, which regulates the activity of transcriptional genes such as Per1, Per2, Per3, Cry1, and Cry2. The molecular genes are also regulated by their associated transcription factors, DEC1 and DEC2.

Circadian clocks in various tissues receive signals either from the central circadian clocks or directly from the time of day, thereby regulating the timing of physiological functions. Light and the daily cycle activate CLOCK and BMAL1, initiating the transcription of CRY and PER genes. When a certain level of mRNA is reached, the CRY and PER proteins form dimers that inhibit CLOCK and BMAL1 complexes in the cell nucleus, preventing new transcription. During the night, light degrades the dimers, allowing CLOCK and BMAL1 to become active and initiate a new transcriptional cycle.

Through this molecular mechanism, the circadian timing system controls various physiological processes. Central circadian clocks receive light or dark sig-

nals and transmit them to peripheral clocks. Central and peripheral circadian clocks interact with each other, ensuring the regular activity of biorhythms [20; 21].

Biorhythms, depending on the duration of their periods, are classified as low-, medium-, and high-frequency. Among low-frequency biorhythms, the most well-known are monthly, seasonal, and annual rhythms; among medium-frequency biorhythms are circadian (approximately 24-hour) rhythms; and among high-frequency biorhythms are those with periods shorter than 30 minutes, such as respiratory and heart rates. The circadian rhythm, associated with the alternation of day and night, plays the most important role among biorhythms.

All functions in a living organism are characterized by wave-like patterns and a rhythmic organization of alternating processes. The assessment of natural biorhythms forms the basis for diagnosing the early stages of pathological processes, which can be used to prevent their development.

The effectiveness of preventive and therapeutic interventions in all human diseases, including dental diseases in children, can be increased through a chronophysiological approach. Chronobiological research methods make it possible to predict disease development at a preclinical stage. The use of chronotherapy as a treatment method, based on the consideration of the organism's biorhythms – primarily circadian rhythms – is a promising direction in preventive and therapeutic care. However, unfortunately, this approach has not yet been fully developed [22].

Biorhythms are associated with all organs and systems of the body, where they participate in the regulation of physiological and metabolic processes. There is evidence of their influence on the development of teeth and oral tissues. It has been established that disruptions of the circadian rhythm may be associated with impaired formation of dental pulp, periodontal tissues, oral mucosa, enamel, and dentin, as well as the development of mandibular hypoplasia and the occurrence of oral cancer [20; 21; 23–25].

The causes of circadian rhythm disturbances in contemporary children are most often the following:

- 1) constant exposure to artificial light;
- 2) excessive screen time (frequent use of smartphones, tablets, and computers emitting blue light, which suppresses melatonin production);
 - 3) relocation across time zones;
- 4) irregular daily routines (insufficient or excessive sleep with disrupted circadian rhythms);
- 5) stress, anxiety, or depression associated with lifestyle;
- 6) unbalanced nutrition, including high consumption of caffeine, other stimulants, and sugar.
- If these disturbances occur repeatedly, they can provoke biorhythm disorders and shift sleep—wake cycles, which inevitably affects oral health [26; 27].

These and other disturbances become regular because children may wake up and go to bed at varying times, which disrupts their internal sleep—wake clocks. The repeated occurrence of these patterns causes them to become habitual for the body and may persist

for a long time if no measures are taken to restore normal circadian rhythm. Parents, as a rule, pay little attention to these disturbances, and strict daily routines or restrictions on gadget use are often perceived as overly authoritarian in child-rearing.

Consequently, it can be stated that the proper functioning of the circadian timing system plays a key role in maintaining oral health. Understanding the circadian timing system can be applied for targeted treatment with consideration of the optimal timing of procedures, thereby achieving maximum efficacy and minimizing potential side effects.

Desynchronization of internal biorhythms, as well as misalignment between the body's biorhythms and external environmental rhythms, is one of the key causes of pathological disorders in the organism. In all pathological processes, signs of dysrhythmia are observed, the severity of which correlates with the extent of the disorder. In such cases, it becomes necessary to administer medications taking into account the rhythm of the body's sensitivity to them. This objective can be achieved using a chronopharmacological approach to disease treatment. This approach reflects the principle of individualized, more economical, and safer therapy for a specific patient. Chronopharmacology, which studies the effects of drugs on the biorhythms of pathological processes and the organism's sensitivity to them at different times of day, forms the basis of chronotherapy.

When implementing chronotherapy, multiple factors must be considered: the individual characteristics of patients, their age, the pathogenesis of the disease, the mechanisms of drug action, and the biorhythms of the organism's sensitivity to these drugs [19; 28; 29].

The dento-maxillary system is closely interconnected with almost all organs and systems of the body. It participates in the processes of digestion, speech, and respiration. Through sensory interactions, the dento-maxillary system influences auditory, visual, olfactory, gustatory, vestibular, motor, muscular, and pain functions [30; 31].

The foundations of chronodentology are based on evidence that the dental pulp, periodontal tissues, oral mucosa, enamel, dentin, and mandibular bone clearly exhibit peripheral clocks that regulate their key processes [20–23]. It has been established that clock genes, via melatonin receptors modulating mitochondrial functions, can influence the differentiation of osteoblasts, fibroblasts, and ameloblasts, as well as the development of connective tissues, oral tissues, craniofacial structures, and enamel.

An early sign of desynchronosis may be altered sensitivity of taste receptors. Normally, the tongue exhibits low taste sensitivity in the morning, which increases by 19:00–21:00. This should be taken into account during dental monitoring of a child. Disruption of the circadian rhythm leads to immune dysregulation and increased oxidative stress, contributing to the development of periodontitis. Under these conditions, there is a high risk of oral and craniofacial malformations, mandibular skeletal hypoplasia, and tumors, including malignant neoplasms such as carcinoma. In such cases, chronop-

harmacotherapy may serve as a reliable and effective method for personalized prevention and treatment of dental diseases [20; 22–25].

Unfortunately, the practice of applying chronodiagnosis and chronotherapy in pediatric dentistry in our country has not yet reached the required level of development. Modern dentistry is primarily based on standardized protocols familiar to most practitioners. While this ensures an adequate level of dental care, it limits progress in advancing the field. Among many contemporary clinicians, the use of chronotherapy for dental diseases – especially in children – faces notable resistance. They remain skeptical of this treatment method and require more convincing evidence of its efficacy.

The limited number of clinical studies on chronotherapy in pediatric dentistry complicates the establishment of a consistent practice for its use. The lack of empirical data primarily restricts its widespread adoption. At present, it is crucial to investigate the relationship between environmental circadian rhythms and the biorhythms of dental disease progression. This need is increasingly emphasized in calls for the development of personalized medicine, including within the dental specialty. Disruption of biorhythms indicates early signs of pathological processes; therefore, chronodiagnosis allows for the prediction of disease formation at a preclinical stage. Chronotherapy, as a treatment method based on the consideration of the organism's circadian rhythms, requires a deeper understanding of biological processes and the mechanisms through which time influences the body [27; 28].

The process of tooth development – including tissue mineralization and cell differentiation - as well as the formation of basal cells in the oral cavity, saliva production, and salivary secretion, is regulated by circadian clocks. Teeth play a crucial role in fulfilling the basic life needs of the human organism, primarily in food intake. Throughout human evolution, dietary changes prompted adaptive remodeling of teeth, including alterations in their morphology and genetics. These changes were possible only through synchronization with the rhythmically changing environmental conditions. This ability to synchronize with the environment is mediated by molecular clocks. Such knowledge is essential for justifying chronotherapeutic approaches in pediatric dentistry. Literature indicates that circadian fluctuations in salivary pH influence the structure of tooth enamel, as well as all oral tissues and the functioning of various organs and systems [18; 19; 21-23].

Saliva serves as an active protector of oral tissues. Disruption of circadian rhythms in patients may lead to hyposalivation, which can cause difficulties with swallowing and mastication, and in some cases, speech impairment, altered taste perception, and discomfort in the oral cavity, predominantly during nighttime. Compelling evidence demonstrates that the oral mucosa exhibits rhythmic circadian expression of Per1, Cry1, and BMAL1 in the evening and at night. Dysfunction of these genes leads to uncontrolled DNA damage and neoplastic growth, potentially resulting in malignant neoplasms, including oral, head, and neck cancers [21].

Consequently, saliva, as a relevant chronobiological object of the organism, can be reasonably utilized for the diagnosis of early (preclinical) stages of dental diseases, as well as for planning and implementing early chronotherapeutic interventions [22].

In addition to general etiological factors contributing to the development of early childhood caries, chronophysiological aspects must also be considered. It has been established that in children, salivary secretion slows down and salivary pH decreases at night, impairing the natural self-cleaning process of the oral cavity. This, in turn, promotes the formation of a cariogenic environment; therefore, it is recommended that young children avoid acidic juices, salt, and sugar before bedtime and during the night [2; 32; 33].

At present, there is a very low level of attention to chronophysiological aspects in dentistry, particularly in pediatric dentistry. To draw attention to chronodiagnostic and chronotherapeutic approaches, this article analyzes research findings not only in children but also in adults, which may positively influence the development of chronotherapy in pediatric dentistry.

Biological rhythms allow living organisms to adapt to environmental changes, such as day-night cycles and seasonal variations. The better this adaptation, the stronger the individual's health. Disease begins with a disruption of the biorhythms of organs and systems, with clinical symptoms appearing at later stages. Assessment of biorhythm characteristics enables the detection of pathological processes at a pre-disease stage.

Provision of dental care is inherently associated with pain responses. Consequently, many patients, especially children, are reluctant to visit dentists, which negatively impacts treatment outcomes. In such cases, a chronophysiological approach can help by providing data on individual circadian rhythms of pain sensitivity and identifying time intervals during which pain perception is reduced.

In a study by Efremova and Shemonaev [34], maximal levels of pain and tactile sensitivity in patients aged 19 to 39 were observed between 12:00 and 14:00, while minimal sensitivity occurred at 08:00 and from 18:00 to 20:00. Literature data indicate that dental pulp pain sensitivity largely depends on the daily concentration of melatonin in the body. Higher melatonin levels are associated with reduced pain sensitivity [35]. Consequently, administering analgesics in the afternoon, especially in the evening, produces more profound and prolonged local and systemic anesthesia compared with morning administration [36]. The maximal analgesic effect of lidocaine for dental pain occurs at 14:00–15:00, while that of meperidine and morphine occurs at 21:00 [31; 37; 38].

In dental practice, consideration of circadian rhythms extends to drugs with various mechanisms of action. For example, in cases of oral pemphigus vulgaris, prednisolone is recommended to be administered at 06:00. Nonsteroidal anti-inflammatory drugs (NSAIDs) following dental surgery should be given in the afternoon, as their analgesic and anti-inflammatory effects are enhanced during this period. Chronoradiotherapy for head and neck cancers is most effective when ad-

ministered in the morning, particularly during winter, as this timing reduces the risk of radiotherapy-related side effects and severe oral mucositis [36].

A 2023 literature review conducted by an international team led by Abusamak [39] demonstrated that the use of chronoradiotherapy and chronochemotherapy in oncology patients with dental conditions significantly improves treatment outcomes and increases survival rates. Administration of analgesic drugs in the evening can achieve deeper and more prolonged local anesthesia. Animal studies have shown that tooth movement and periodontal tissue responses to orthodontic forces also follow circadian rhythms, which can influence bone metabolism. The peak of bone tissue turnover occurs in the late morning and early evening [36]. These findings may inform the timing of dental implant placement.

Platinum-based chemotherapeutic agents (cisplatin, carboplatin, oxaliplatin) and fluorouracil are recommended in the evening (peak efficacy at 16:00), coinciding with circadian peaks in their antioxidant activity, which helps prevent cellular damage. Despite the relatively small number of studies conducted, the review authors concluded that the application of chronotherapy in dentistry yields positive outcomes, particularly in the treatment of head and neck cancers.

When monitoring children with dental diseases, it is also necessary to consider the influence of seasonal biorhythms. According to Khubetsova [40], tooth extraction in dental patients induces a state of acute desynchronosis, accompanied by oxidative stress and complicated by coagulopathy. In patients with alveolitis, this manifests as hypercoagulation, whereas in patients with socket bleeding, it presents as hypocoagulation. Hypercoagulation in alveolitis patients is more frequently observed during the summer–autumn period, while hypercoagulation with socket bleeding and associated microcirculatory disturbances occurs predominantly in the autumn–winter period.

Data from Razmakhina [41] indicate that the most unfavorable period of the year in terms of oral homeostasis (enamel resistance, calcium and phosphorus content in saliva, and salivary mineralizing potential) in children is winter. The most favorable periods for maintaining oral homeostasis are autumn and summer.

CONCLUSION

These findings motivate further research and exploration of new approaches in the chronotherapy of dental diseases. Continued studies in this field may lead to the development of innovative methods for the treatment and prevention of dental diseases in children, taking into account their biological rhythms. Overall, chronodentistry as a specialized area of scientific research and practical knowledge is still in its nascent stage. It is hoped that increased interest in the chronophysiological aspects of pediatric dental diseases among researchers and practicing pediatric dentists, together with governmental support, will undoubtedly stimulate the development and eventual establishment of chronodentistry as a full-fledged branch of medical science.

REFERENCES / СПИСОК ЛИТЕРАТУРЫ

- 1. Leous P.A. The European indicators for oral health: What they indicate? *Sovremennaya Stomatologiya*. 2015;(1):4–7. (In Russ.)
 - Леус П.А. Индикаторы стоматологического здоровья. На что они указывают? *Современная стоматология*. 2015;(1):4–7.
- 2. Zubaidullaeva M.A.K., Rakhimberdiev R.A. Dental caries in early childhood: Epidemiology, etiology, prevention, and treatment. *Dostizheniya Nauki i Obrazovaniya*. 2020;(4):79–87. (In Russ.) Зубайдуллаева М.А.К., Рахимбердиев Р.А. Кариес зубов у детей раннего возраста: эпидемиология, этиология, профилактика, лечение. *Достижения на*-
- Chuikin O.S., Snetkova T.V., Fardutdinova A.O., Sharafutdinova G.K., Muradyan S.A., Mansurova S.M. Features of orthodontic treatment of children with non-carious lesions of hard tissues of teeth. *Am Sci J.* 2019;(31):19–21.

уки и образования. 2020;(4):79-87.

- Ismagilov O.R., Shulaev A.V., Statseva E.Yu., Ahmetova G.M., Berezin K.A. Dental morbidity of school children. Actual Problems in Dentistry. 2019;15(4):140–148. (In Russ.) https://doi.org/10.18481/2077-7566-2019-15-4-140-148
 Исмагилов О.Р., Шулаев А.В., Старцева Е.Ю., Ахметова Г.М., Березин К.А. Стоматологическая заболеваемость детей школьного возраста. Проблемы стоматологии. 2019;15(4):140–148. https://doi.
- Davidian O.M., Tuturov N.S., Shimkevich E.M., Lukianova E.A., Pilshchikova O.V., Almokaddam H. et al. Dental status of children of early and preschool age in Moscow. Endodontics Today. 2024;22(2):114–121. (In Russ.) https://doi.org/10.36377/ET-0015
 Давидян О.М., Тутуров Н.С., Шимкевич Е.М., Лукьянова Е.А. Пильшикова О.В. Алмокалдам X. и до.

org/10.18481/2077-7566-2019-15-4-140-148

- нова Е.А., Пильщикова О.В., Алмокаддам Х. и др. Стоматологический статус детей раннего и дошкольного возраста г. Москвы. Эндодонтия Тоday. 2024;22(2):114–121. https://doi.org/10.36377/ET-0015
- Voronin P.A., Voronin V.A., Koparzova O.A., Sagitdinova T.N., Smirnova D.A., Rassadina S.S. Prevalence and intensity of dental caries in children of different age groups living in the Solntsevo district, Moscow. Medical Alphabet. 2024;(1):25–28. (In Russ.) https://doi.org/10.33667/2078-5631-2024-1-25-28
 Воронин П.А., Воронин В.А., Копарзова О.А., Сагитдинова Т.Н., Смирнова Д.А., Рассадина С.С. Распространенность и интенсивность кариеса зубов у детей разных возрастных групп, проживающих в районе Солнцево, Москва. Медицинский алфавит. 2024;(1):25–28. https://doi.org/10.33667/2078-5631-2024-1-25-28
- Khadyeva M.N., Galiullin A.N., Yakimova Ju.Yu. Characteristics of dental morbidity prevalence in preschool children living in nuclear and reconstituted families. Vestnik Sovremennoi Klinicheskoi Mediciny. 2024;17(1):53–62. (In Russ.) Available at: https://www.vskmjournal.org/images/Files/Issues_Archive/2024/Issue_1/VSKM_2024_N_1_p53-62.pdf (accessed: 27.08.2025).
 Хадыева М.Н., Галиуллин А.Н., Якимова Ю.Ю. Ха
 - хадыева М.Н., Галиуллин А.Н., Якимова Ю.Ю. Характеристика распространенности стоматологической заболеваемости у детей дошкольного возраста, проживающих в полных и восстановленных семьях. Вестник современной клинической медицины. 2024;17(1):53–62. Режим доступа: https://www.

- vskmjournal.org/images/Files/Issues_Archive/2024/ Issue_1/VSKM_2024_N_1_p53-62.pdf (дата обращения: 27.08.2025).
- 8. Sukhacheva L.V., Madyanova V.V. Prevention of dental diseases in the child population: topical issues, current state and prospects. *Problemy Standartizatsii v Zdravookhranenii*. 2016;(5-6):58-62. (In Russ.) Сухачева Л.В., Мадьянова В.В. Профилактика стоматологических заболеваний у детского населения: актуальность проблемы, современное состояние и перспективы развития. *Проблемы стандартизации в здравоохранении*. 2016;(5-6):58-62.
- 9. Blashkova Yu.V., Atrushkevich V.G., Blashkova S.L. The role of maintenance therapy in complex periodontal diseases. In: Mamaeva E.V. (ed.) Current Issues in Pediatric Dentistry: Proceedings of the 6th All-Russian Scientific and Practical Conference with International Participation, Kazan, February 9, 2024. Kazan: Kazan State Medical University; 2024, pp. 28–33. (In Russ.) Блашкова Ю.В., Атрушкевич В.Г., Блашкова С.Л. Роль поддерживающей терапии в комплексном лечении заболеваний пародонта. В кн.: Мамаева Е.В. (ред.) Актуальные вопросы стоматологии детского возраста: материалы 6-й Всерос. науч.-практ. конф. с междунар. участием, г. Казань, 9 февр. 2024 г. Казань: Казанский государственный медицинский университет; 2024. С. 28–33.
- 10. Sementsova E.A., Mandra J.V., Bazarnyi V.V., Polushina L.G., Svetlakova E.N. Aging markers determined in the oral cavity tissue (literature review). Advances in Gerontology. 2021;34(2):217–225. (In Russ.) https://doi.org/10.34922/AE.2021.34.2.005
 Семенцова Е.А., Мандра Ю.В., Базарный В.В., Полушина Л.Г., Светлакова Е.Н. Маркеры возрастных изменений, определяемые в тканях полости рта (обзор литературы). Успехи геронтологии. 2021;34(2):217–225. https://doi.org/10.34922/AE.2021.34.2.005
- Mohammadi T.M., Kay E.J. Effect of dental caries on children growth. In: Li M.-Y. (ed.). Contemporary Approach to Dental Caries. InTech; 2012, pp. 379–394. Available at: https://doi.org/10.5772/38383
- 12. Baroeva A.R., Mamieva S.Ch. Features of pathogenesis and prevention of early child caries. *Modern Issues of Biomedicine*. 2022;6(1):1. (In Russ.) https://doi.org/10.51871/2588-0500_2022_06_01_1 Бароева А.Р., Мамиева С.Ч. Особенности патогенеза и профилактики раннего детского кариеса. *Современные вопросы биомедицины*. 2022;6(1):1. https://doi.org/10.51871/2588-0500_2022_06_01_1
- 13. Zharkova O.A., Dubovets A.V., Polyakova D.D. Aspects of prevention of major dental diseases during pregnancy. *Vitebsk Medical Journal*. 2014;13(4):126–132. (In Russ.) Available at: https://vestnik.vsmu.by/downloads/2014/4/2014_13_4_126-132.pdf (accessed: 27.08.2025).

 Жаркова О.А., Дубовец А.В., Полякова Д.Д. Аспекты
 - жаркова О.А., Дуоовец А.В., Полякова Д.Д. Аспекты профилактики основных стоматологических заболеваний в период беременности. Вестник Витебского государственного медицинского университета. 2014;13(4):126–132. Режим доступа: https://vestnik.vsmu.by/downloads/2014/4/2014_13_4_126-132.pdf (дата обращения: 27.08.2025).
- 14. Barysheva V.O., Ketova G.G. Personalized medicine: pharmacogenetics implementation in practice. *Neprery*-

2020, 624 c.

- vnoe Meditsinskoe Obrazovanie i Nauka. 2016;11(1):4–7. (In Russ.)
- Барышева В.О., Кетова Г.Г. Персонализированная медицина: реализация фармакогенетики в практике. *Непрерывное медицинское образование и наука*. 2016;11(1):4–7.
- 15. Suchkov S.V. (ed.). Foundations of Personalized and Precision Medicine. Moscow: GEOTAR-Media; 2020. 624 р. (In Russ.)
 Сучков С.В. (ред.). Основы персонализированной и прецизионной медицины. М.: ГЭОТАР-Медиа;
- 16. Steshova V.V., Shiryak T.Yu. Genetic aspects of dental caries development. In: Zheleznov L.M., Razin M.P., Gromova S.N. (eds) Current Issues in Pediatric Dentistry: Proceedings of the All-Russian Scientific and Practical Conference with International Participation, Kirov, November 25–26, 2020. Kirov: Kirov State Medical University; 2021, pp. 140–142. (In Russ.)

 Стешова В.В., Ширяк Т.Ю. Генетические аспекты развития кариеса зубов. В кн.: Железнов Л.М., Разин М.П., Громова С.Н. (ред.) Актуальные вопросы детской стоматологии: сб. Всерос. науч.-практ. конф. с междунар. участием, г. Киров, 25–26 нояб. 2020 г. Киров: Кировский государственный медицинский университет; 2021. С. 140–142.
- 17. Neudakhin E.V., Prityko A.G., Abramov A.A., Bogacheva E.V., Ivanova S.V., Kozhanova T.V. Personalized medical technologies promoting the slowing of atherogenic disorders development in childhood. Moscow: Research Practical Center for Children's Specialized Medical Care; 2024. 122 p. (In Russ.)

 Неудахин Е.В., Притыко А.Г., Абрамов А.А., Богачева Е.В., Иванова С.В., Кожанова Т.В. Персонализированные технологии медицины, способствующие замедлению развития атерогенных нарушений в детском возрасте. М.: Научно-практический центр специализированной медицинской помощи детям им. В.Ф. Войно-Ясенецкого; 2024. 122 с.
- Bennadi D., Reddy V., Kshetrimayum N. Influence of genetic factor on dental caries. *Indian Journal of Research in Pharmacy and Biotechnology*. 2014;2(3):1196–1207.
 Available at: https://www.ijrpb.com/issues/Volume% 202_Issue%203/ijrpb%202(3)%2010%20darshana%20 bennadi%201196-1207.pdf (accessed: 27.08.2025).
- 19. Neudakhin E.V. Chronotherapy in pediatrics is the basis for improving the effectiveness of treatment of children's diseases. Rossiyskiy Vestnik Perinatologii i Pediatrii (Russian Bulletin of Perinatology and Pediatrics). 2018;63(6):7–14. (In Russ.) https://doi.org/10.21508/1027-4065-2018-63-5-7-14

 Неудахин Е.В. Хронотерапия в педиатрии основа повышения эффективности лечения заболеваний у детей. Российский вестник перинатологии и педиатрии. 2018;63(6):7–14. https://doi.org/10.21508/1027-4065-2018-63-5-7-14
- 20. Zheng L., Seon Y.J., Mourão M.A., Schnell S., Kim D., Harada H. et al. Circadian rhythms regulate amelogenesis. *Bone*. 2013;55(1):158–165. https://doi.org/10.1016/j.bone.2013.02.011
- 21. Papagerakis S., Zheng L., Schnell S., Sartor M.A., Somers E., Marder W. et al. The circadian clock in oral health and diseases. *J Dent Res.* 2014;93(1):27–35. https://doi.org/10.1177/0022034513505768
- 22. Ruzin G.P., Vakulenko E.N., Stoyan E.Yu. Chronobiology and chronomedicine from the perspective of dentistry

- (historical aspects of emergence). Visnyk Problemy Biolohii i Medytsyny. 2014;1(3):296–300. (In Russ.) Рузин Г.П., Вакуленко Е.Н., Стоян Е.Ю. Хронобиология и хрономедицина с точки зрения стоматологии (исторические аспекты возникновения). Вестник проблем биологии и медицины. 2014;1(3):296–300.
- 23. Janjić K., Kurzmann C., Moritz A., Agis H. Expression of circadian core clock genes in fibroblasts of human gingiva and periodontal ligament is modulated by L-Mimosine and hypoxia in monolayer and spheroid cultures. *Arch Oral Biol.* 2017;79:95–99. https://doi.org/10.1016/j. archoralbio.2017.03.007
- 24. Fu M., Yang X. The sweet tooth of the circadian clock. *Biochem Soc Trans*. 2017;45(4):871–884. https://doi.org/10.1042/BST20160183
- 25. Zhao J., Zhou X., Tang Q., Yu R., Yu S., Long Y. et al. BMAL1 deficiency contributes to mandibular dysplasia by upregulating MMP3. *Stem Cell Reports*. 2018;10(1):180–195. https://doi.org/10.1016/j.stemcr.2017.11.017
- 26. Fishbein A.B., Knutson K.L., Zee P.C. Circadian disruption and human health. *J Clin Invest*. 2021;131(19):e148286. https://doi.org/10.1172/JCI148286
- 27. Moreno-Agostino D., Wu Y.T., Daskalopoulou C., Hasan M.T., Huisman M., Prina M. Global trends in the prevalence and incidence of depression: A systematic review and meta-analysis. *J Affect Disord*. 2021;281:235–243. https://doi.org/10.1016/j.jad.2020.12.035
- 28. Paqué P.N., Herz C., Wiedemeier D.B., Mitsakakis K., Attin T., Bao K. et al. Salivary biomarkers for dental caries detection and personalized monitoring. *J Pers Med*. 2021;11(3):235. https://doi.org/10.3390/jpm11030235
- Cardinali D.P., Brown G.M., Pandi-Perumal S.R. Chronotherapy. *Handb Clin Neurol*. 2021;179:357–370. https:// doi.org/10.1016/B978-0-12-819975-6.00023-6
- 30. Ryabtsev V.Ya., Ryabtseva I.M. *Textbook on the disci- pline "Tooth Physiology"*. Tiraspol; 2019. 87 р. (In Russ.) Рябцев В.Я., Рябцева И.М. *Учебное издание по дис*-циплине «Физиология зуба». Тирасполь; 2019. 87 с.
- Janjić K., Agis H. Chronodentistry: the role & potential of molecular clocks in oral medicine. BMC Oral Health. 2019;19(1):32. https://doi.org/10.1186/s12903-019-0720-x
- 32. Kiselnikova L.P., Kirillova E.V. Early childhood caries in primary teeth: problems and solutions. *Meditsinskiy Sovet.* 2010;(3-4):99–102. (In Russ.)
 Кисельникова Л.П., Кириллова Е.В. Кариес временных зубов у детей раннего возраста: проблемы и пути их решения. *Медицинский совет.* 2010;(3-4):99–102.
- 33. Ismailov K.R., Valieva R.M., Ismailov R.M. Balance diet in prevention of dental diseases. Vestnik KazNMU. 2015;4:204–207. (In Russ.) Исмаилов К.Р., Валиева Р.М., Исмаилов Р.М. Рациональное питание в профилактике стоматологических заболеваний. Вестник Казахского национального медицинского университета. 2015;(4):204–207.
- 34. Efremova I.N., Shemonaev V.I. Chronophysiological peculiarities of pain and tactile sensations of stomatological patients. *Journal of Volgograd State Medical University*. 2006;(4):34–37. (In Russ.) Available at: https://journals.eco-vector.com/1994-9480/article/view/117875 (accessed: 27.08.2025). Ефремова И.Н., Шемонаев В.И. Хронофизиологические особенности болевой чувствительности у стоматологических пациентов. *Вестник Волгоградского государственного медицинского университета*. 2006;(4):34–37. Режим доступа: https://journals.eco-

- vector.com/1994-9480/article/view/117875 (дата обращения: 27.08.2025).
- 35. Semak I.V., Kulchitsky V.A. Physiological and biochemical mechanisms of circadian rhythm regulation. Trudy Belorusskogo Gosudarstvennogo Universiteta. Seriya: Fiziologicheskie, Biokhimicheskie i Molekulyarnye Osnovy Funktsionirovaniya Biosistem. 2007;2(1):17-37. (In Russ.) Available at: http://bono-esse.ru/blizzard/A/PDF/2007-2-1-17-37.pdf (accessed: 27.08.2025). Семак И.В., Кульчицкий В.А. Физиологические и биохимические механизмы регуляции циркадных ритмов. Труды Белорусского государственного университета. Серия: Физиологические, биохимические и молекулярные основы функционирования биосистем. 2007;2(1):17-37. Режим доступа: http://bonoesse.ru/blizzard/A/PDF/2007-2-1-17-37.pdf (дата обращения: 27.08.2025).
- Al-Waeli H., Nicolau B., Stone L., Abu Nada L., Gao Q., Abdallah M.N. et al. Chronotherapy of non-steroidal anti-inflammatory drugs may enhance postoperative recovery. Sci Rep. 2020;10(1):468. https://doi.org/10.1038/s41598-019-57215-y
- 37. Albakova M.H., Albakova H.A., Aushev F.Kh.B. Biological rhythms and prospects chronotherapy. *Archivarius*. 2016;(3):116–122. (In Russ.)
 Албакова М.Х., Албакова Х.А., Аушева Ф.Х.Б. Биологические ритмы и перспективы хронотерапии. *Архивариус*. 2016;(3):116–122.

- 38. Vasko M.Y., Tkachenko I.M., Pavlenkova O.V., Pysarenko O.A. Interrelation of biological rhythms and circadian hormones producement and their impact on medicine usage. *Wiad Lek.* 2021;74(8):1970–1974. https://doi.org/10.36740/WLek202108133
- 39. Abusamak M., Al-Tamimi M., Al-Waeli H., Tahboub K., Cai W., Morris M. et al. Chronotherapy in dentistry: A scoping review. *Chronobiol Int.* 2023;40(5):684–697. https://doi.org/10.1080/07420528.2023
- Khubetsova N.O. Pathophysiological rationale for chronotherapy of complications after tooth extraction [Author's abstract of dissertation ... Cand. Sci. (Med.)]. Vladikavkaz; 2005. 22 p. (In Russ.) Available at: https://new-disser.ru/_avtoreferats/01004065585.pdf (accessed: 27.08.2025).
 - Хубецова Н.О. *Патофизиологическое обоснова*ние хронотерапии осложнений после удаления зубов [Автореф. дис. ... канд. мед. наук.]. Владикавказ; 2005. 24 с. Режим доступа: https://new-disser. ru/_avtoreferats/01004065585.pdf (дата обращения: 27.08.2025).
- 41. Kiseleva E.A., Razmahnina E.M., Kuprina I.V. Chronobiological aspects in the formation of caries resistance. *Clinical Dentistry (Russia*). 2018;(1):8–10. (In Russ.) https://doi.org/10.37988/1811-153X_2018_1_8 Киселева Е.А., Размахнина Е.М., Куприна И.В. Хронобиологические аспекты в формировании кариесрезистентности. *Клиническая стоматология*. 2018;(1):8–10. https://doi.org/10.37988/1811-153X_2018_1_8

INFORMATION ABOUT THE AUTHORS

Evgeniy V. Neudakhin – Dr. Sci. (Med.), Professor, Honorary Doctor of Russian Federation, Chief Researcher, Research Practical Center for Children's Specialized Medical Care, 38 Aviatorov Str., Moscow 119620, Russian Federation; https://orcid.org/0000-0002-9124-1306

Elena E. Yatskevich – Dr. Sci. (Med.), Professor, Research Practical Center for Children's Specialized Medical Care, 38 Aviatorov Str., Moscow 119620, Russian Federation

Pavel A. Voronin – Cand. Sci. (Med.), Associate Professor of the Department of Maxillofacial Surgery and Dentistry of the Institute of Motherhood and Childhood, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0000-0002-2134-2320

Vadim A. Voronin – Cand. Sci. (Med.), Associate Professor of the Department of Maxillofacial Surgery and Dentistry of the Institute of Motherhood and Childhood, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0009-0009-1686-9791

Andrey G. Prityko – Dr. Sci. (Med.), Professor, Member of the RANS, Honorary Doctor of Russian Federation, Head of the Department of Maxillofacial Surgery and Dentistry at the Institute of Motherhood and Childhood, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; Director, Research Practical Center for Children's Specialized Medical Care, 38 Aviatorov Str., Moscow 119620, Russian Federation; https://orcid.org/0000-0001-8899-4107

Olga A. Koparzova – Cand. Sci. (Med.), Associate Professor of the Department of Maxillofacial Surgery and Dentistry of the Institute of Motherhood and Childhood, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0009-0005-1049-2138

Darya N. Vladimirova – Assistant of the Department of Maxillofacial Surgery and Dentistry of the Pediatric Faculty, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0009-0006-7159-0441

Tatyana N. Sagitdinova – Cand. Sci. (Med.), Assistant of the Department of Maxillofacial Surgery and Dentistry of the Institute of Motherhood and Childhood, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0009-0007-9315-7283

Anna V. Tyushevskaya – Assistant of the Department of Maxillofacial Surgery and Dentistry of the Pediatric Faculty, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0000-0002-7709-2607

Irina A. Nikolskaya – Cand. Sci. (Med.), Professor, Department of Therapeutic Dentistry, Institute of Dentistry, Pirogov Russian National Research Medical University, 1 Ostrovityanova Str., Moscow 117997, Russian Federation; https://orcid.org/0000-0001-8042-2884



ИНФОРМАЦИЯ ОБ АВТОРАХ

Неудахин Евгений Васильевич – д.м.н., профессор, главный научный сотрудник, ГБУ «Научно-практический центр специализированной медицинской помощи детям имени В.Ф. Войно-Ясенецкого», 119620, Российская Федерация, г. Москва, ул. Авиаторов, д. 38; https://orcid.org//0000-0002-9124-1306

Яцкевич Елена Евгеньевна – д.м.н., профессор, ГБУ «Научно-практический центр специализированной медицинской помощи детям имени В.Ф. Войно-Ясенецкого», 119620, Российская Федерация, г. Москва, ул. Авиаторов, д. 38

Воронин Павел Анатольевич – к.м.н., доцент кафедры челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/0000-0002-2134-2320

Воронин Вадим Анатольевич – к.м.н., доцент кафедры челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/0009-0009-1686-9791

Притыко Андрей Георгиевич – д.м.н., профессор, заведующий кафедрой челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; Президент ГБУ «Научно-практический центр специализированной медицинской помощи детям имени В.Ф. Войно-Ясенецкого», 119620, Российская Федерация, г. Москва, ул. Авиаторов, д. 38; https://orcid.org//0000-0001-8899-4107

Копарзова Ольга Анатольевна – к.м.н., доцент кафедры челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/0009-0005-1049-2138

Владимирова Дарья Николаевна – ассистент кафедры челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/0009-0006-7159-0441

Сагитдинова Татьяна Николаевна – к.м.н., ассистент кафедры челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/0009-0007-9315-7283

Тюшевская Анна Вадимовна – ассистент кафедры челюстно-лицевой хирургии и стоматологии Института материнства и детства, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/ 0000-0002-7709-2607

Никольская Ирина Андреевна – к.м.н, профессор, кафедра терапевтической стоматологии Института стоматологии, ФГАОУ ВО «Российский национальный исследовательский медицинский университет имени Н.И. Пирогова», 117997, Российская Федерация, г. Москва, ул. Островитянова, д. 1; https://orcid.org/0000-0001-8042-2884

AUTHOR'S CONTRIBUTION

- E.V. Neudakhin significant contribution to the conception and design of the study.
- E.E. Yatskevich significant contribution to the conception and design of the study.
- P.A. Voronin significant contribution to the conception and design of the study.
- V.A. Voronin drafting the article or critically revising it for important intellectual content.
- O.A. Koparzova drafting the article or critically revising it for important intellectual content.
- A.G. Prityko significant contribution to the conception and design of the study; final approval of the version to be published.
- D.N. Vladimirova significant contribution to the conception and design of the study.
- $T.N.\ Sagit dinova-significant\ contribution\ to\ the\ conception\ and\ design\ of\ the\ study.$
- A.V. Tyushevskaya significant contribution to the conception and design of the study.
- I.A. Nikolskaya significant contribution to the conception and design of the study.

ВКЛАД АВТОРОВ

- Е.В. Неудахин существенный вклад в замысел и дизайн исследования.
- Е.Е. Яцкевич существенный вклад в замысел и дизайн исследования.
- П.А. Воронин существенный вклад в замысел и дизайн исследования.
- В.А. Воронин подготовка статьи или ее критический пересмотр в части значимого интеллектуального содержания.
- О.А. Копарзова подготовка статьи или ее критический пересмотр в части значимого интеллектуального содержания.
- А.Г. Притыко существенный вклад в замысел и дизайн исследования, окончательное одобрение варианта статьи для опубликования.
- Д.Н. Владимирова существенный вклад в замысел и дизайн исследования.
- Т.Н. Сагитдинова существенный вклад в замысел и дизайн исследования.
- А.В. Тюшевская существенный вклад в замысел и дизайн исследования.
- И.А. Никольская существенный вклад в замысел и дизайн исследования.

